

LISTING OF THE CLAIMS

1. (currently amended) ~~Use of films~~ A film, formed from an adhesive layer and a layer (A), for coating articles made of a thermoset, wherein the adhesive layer comprises, by weight:
 - θ up to 60 parts of polyvinylidene ~~chloride~~ fluoride (PVDF),
 - 10 to 100 parts of functionalized polymethyl methacrylate (PMMA),
 - θ up to 50 parts of an acrylic elastomer,
 - 0 to 4 parts of a UV absorber,
 - the balance making up 100 parts,and the layer (A) comprises, as main constituents, 0 to 100 parts of PVDF per 100 to 0 parts of PMMA, respectively.
2. (currently amended) The film according to Claim 1, in which the proportion of UV absorber is between 2 and 3 parts.
3. (currently amended) The film according to Claim 1, in which the adhesive layer comprises:
 - 20 to 60 parts of PVDF,
 - 10 to 60 parts of functionalized PMMA,
 - θ up to 50 parts of an acrylic elastomer,
 - 0 to 4 parts of a UV absorber,
 - the balance making up 100 parts.

10/678.795

4. (currently amended) The film according to Claim 1, in which the adhesive layer comprises:
- 25 to 35 parts of PVDF,
 - 45 to 55 parts of functionalized PMMA,
 - 8 to 18 parts of an acrylic elastomer,
 - 2 to 3 parts of a UV absorber,
 - the balance making up 100 parts.
5. (currently amended) The film according to Claim 1, in which the adhesive layer comprises:
- 30 to 35 parts of PVDF,
 - 50 to 55 parts of functionalized PMMA,
 - 8 to 12 parts of an acrylic elastomer,
 - 2 to 3 parts of a UV absorber,
 - the balance making up 100 parts.
6. (currently amended) The film according to Claim 1, in which the acrylic elastomer is of the core/shell type.
7. (currently amended) The film according to Claim 1, in which a peelable protective layer is deposited on the layer (A) side.

10/678,795

8. (currently amended) The film according to Claim 1, in which the layer (A) comprises, as main constituents, 70 to 100 parts of PVDF per 30 to 0 parts of PMMA, respectively.
9. (currently amended) The film according to Claim 1, in which the thickness of the layer (A) is between 2 and 50 μm and that of the adhesive layer is between 10 and 100 μm .
10. (currently amended) The film according to Claims 1, in which the layer (A) is in the form of two layers:
one placed against the adhesive layer and comprising, as main constituents, 50 to 90 parts of PVDF per 50 to 10 parts of PMMA, respectively;
the other (also called the outer layer) comprising, as main constituents, 75 to 100 parts of PVDF per 25 to 0 parts of PMMA, respectively.
11. (currently amended) The film according to Claim 10, in which the outer layer comprises, as main constituents, 85 to 100 parts of PVDF per 15 to 0 parts of PMMA, respectively.
12. (currently amended) The film according to Claim 10, in which the thickness of the adhesive layer is between 10 and 100 μm and that of each of the other layers is between 2 and 50 μm .
13. (currently amended) The film according to Claim 1, in which a layer consisting essentially of functionalized PMMA is placed against the adhesive layer.

10/678.795

14. (currently amended) The film Use according to Claim 1, in which a layer consisting essentially of functionalized PMMA and an acrylic elastomer, is placed against the adhesive layer.

15. (canceled)

16. (canceled)